



# CATALOGUE

---

**KVETUN ARMOURY 2023 ver.1.**





**KVETUN ARMOURY**  
EQUIPMENT FOR HEMA & HISTORICAL REENACTMENT

This is our current catalogue of products for the practice of Historical European Martial Arts (HEMA). Our products comply with stringent safety standards for use during training, sparring, and tournaments.

In this catalogue we present our most popular standard items and list all options available for them (n.b. Illustrations show only the basic model).

If you wish, we can either customize the basic model according to available options or create a fully custom model.


**KVETUN ARMOURY 2023. ver.1.**



Rapier #1	4
Rapier #2	5
Rapier #3	6
Meyer's rapier	7
Gymnasium saber 1895	8
Easton saber (#3)	9-10
Sidesword #1	11
Sidesword #2	12
Sidesword #3	13
Arming sword	14
Arming sword XII	15
Caroling type V sword	16
FFG Federschwert	17
Federschwert 1570	18
Federschwert "Lichtenauer"	19
Solothurn HEMA Fechtschwert	20
Two-handed sword	21
Partisan (spear blade)	22
Dagger	23
Buckler	24
Blade tip	25



# Rapier #1



## CHARACTERISTICS:

**Price:** 260€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1130 gr

**Point of balance:** 60 mm

**Total length:** 1270 mm

**Blade length:** 1140 mm (standard)

**Handle length:** 85 mm

**Attachment:** threaded

**Crossguard length:** 300 mm

**Crossguard width:** 9 mm

**Blade width:** 12 mm

**Blade width in ricasso:** 15 mm

**Blade width at the tip:** 8 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 3,8 mm

## OPTIONS:

**Attachment:** threaded, peened

**Handle coverage:** leather, cord

**Blade length:** up to 1150 mm

**Blade type:** soft (standard),  
strong (+50€), superb (+100€)

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE





# Rapier #2

## CHARACTERISTICS:

**Price:** 400€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1205 gr

**Point of balance:** 132 mm

**Total length:** 1290 mm

**Blade length:** 1140 mm (standard)

**Handle length:** 85 mm

**Attachment:** threaded

**Crossguard length:** 275 mm

**Crossguard width:** 9 mm

**Blade width:** 14 mm

**Blade width in ricasso:** 19 mm

**Blade width at the tip:** 8 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 3,5 mm

## OPTIONS:

**Attachment:** threaded, peened

**Handle coverage:** leather, cord

**Blade length:** up to 1150 mm

**Guard type:** ring with protective plate (+20€)

**Blade type:** strong (standard),  
superb (+100€)

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Rapier blades



PRICE DEPENDS ON THE MODEL OF THE RAPIER



# Meyer's rapier

## CHARACTERISTICS:

**Price:** 250€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1050 gr

**Point of balance:** 95 mm

**Total length:** 1070 mm

**Blade length:** 895 mm

**Handle length:** 90 mm

**Attachment:** threaded

**Crossguard length:** 285 mm

**Crossguard width:** 11 mm

**Blade width:** 20 mm

**Blade width in ricasso:** 25 mm

**Blade width at the tip:** 13 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 2,8 mm

## OPTIONS:

**Attachment:** threaded, peened

**Handle coverage:** leather, cord

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE





# Gymnasium saber 1895



## CHARACTERISTICS:

**Price:** 290 €

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 855 gr

**Point of balance:** 90 mm

**Total length:** 1000 mm

**Blade length:** 865 mm

**Handle length:** 125 mm


**Attachment:** threaded

**Blade width in ricasso:** 20 mm

**Blade width at the tip:** 11 mm

**Blade thickness in ricasso:** 6 mm

**Blade thickness at the tip:** 3 mm



## OPTIONS:

**Attachment:** threaded, peened

**Hilt type:** 1895, Easton Cup

\*with\without backstrap

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Easton saber (#3)

## CHARACTERISTICS:

**Price:** 290€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 800 gr

**Point of balance:** 120 mm

**Total length:** 1010 mm

**Blade length:** 855 mm

**Handle length:** 135 mm

**Attachment:** threaded

**Cup:** big glove (standard)

**Cup width:** 120 mm

**Cup tickness:** 1,5 mm

**Blade width:** 22 mm

**Blade width in ricasso:** 26 mm

**Blade width at the tip:** 16 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 2,8 mm

## OPTIONS:

**Attachment:** threaded, peened

**Handle coverage:** leather, cord

**Hilt type:** polish, 1820, three bars, slotted

\*with\without backstrap

**Blade type:** #1, #2, #3


**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Options for Saber #3

1 2 3



## HILT TYPES:

1. POLISH (Total weight - 850 gr)
2. 1820 (Total weight - 855 gr)
3. THREE BARS (Total weight - 950 gr)
4. SLOTTED (Total weight - 855 gr)

- WITH\WITHOUT BACKSTRAP

## BLADE CURVE TYPES:

1. #1 (NO CURVE)
2. #2 (SLIGHTLY CURVED)
3. #3 (STRONG CURVE)



# Side-sword #1

## CHARACTERISTICS:

**Price:** 250€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 980 gr

**Point of balance:** 105 mm

**Total length:** 1030 mm

**Blade length:** 890 mm

**Handle length:** 95 mm

**Attachment:** threaded

**Crossguard length:** 225 mm

**Crossguard width:** 9 mm

**Blade width:** 15 mm

**Blade width in ricasso:** 23 mm

**Blade width at the tip:** 7 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 3 mm

## OPTIONS:

**Attachment:** threaded, peened

**Handle coverage:** leather, cord

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE





# Side-sword #2

## CHARACTERISTICS:

**Price:** 250€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1055 gr

**Point of balance:** 145 mm

**Total length:** 1100 mm

**Blade length:** 935 mm

**Handle length:** 105 mm

**Attachment:** peened

**Crossguard length:** 250 mm

**Crossguard width:** 9 mm

**Blade width:** 20 mm

**Blade width in ricasso:** 30 mm

**Blade width at the tip:** 11 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 3,3 mm

## OPTIONS:

**Hilt type:** with knucklebow (+20€)

**Handle coverage:** leather, cord

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Side-sword #3

## CHARACTERISTICS:

**Price:** 380€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1200 gr

**Point of balance:** 50 mm

**Total length:** 1060 mm

**Blade length:** 890 mm

**Handle length:** 95 mm

**Attachment:** threaded

**Crossguard length:** 235 mm

**Crossguard width:** 9 mm

**Blade width:** 15 mm

**Blade width in ricasso:** 23 mm

**Blade width at the tip:** 7 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 3 mm

## OPTIONS:

**Handle coverage:** leather, cord

**Hilt type:** with knucklebow (+20€)

**Blade tip:** rolled, spatulated (+20€)  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Arming sword

## CHARACTERISTICS:

**Price:** 210€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1045 gr

**Point of balance:** 95 mm

**Total length:** 970 mm

**Blade length:** 805 mm

**Handle length:** 110 mm

**Attachment:** peened

**Crossguard length:** 175 mm

**Crossguard width:** 11 mm

**Blade width:** 32 mm

**Blade width in ricasso:** 47 mm

**Blade width at the tip:** 12 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 2,8 mm



## OPTIONS:

**Handle coverage:** leather, cord

**Crossguard type:** straight, curved

**Blade tip:** rolled, spatulated (+20€), rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE





# Arming sword XII

## CHARACTERISTICS:

**Price:** 250€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1125 gr

**Point of balance:** 130 mm

**Total length:** 970 mm

**Blade length:** 810 mm

**Handle length:** 110 mm

**Attachment:** peened

**Crossguard length:** 185 mm

**Crossguard width:** 20 mm

**Blade width:** 40 mm

**Blade width by the crossguard:** 50 mm

**Blade thickness by the crossguard:** 5 mm

**Blade thickness at the tip:** 2 mm

## OPTIONS:

**Handle coverage:** leather, cord

**Crossguard type:** straight, curved

**Blade tip:** rolled, spatulated (+20€), rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Caroling type V sword

## CHARACTERISTICS:

**Price:** 250€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1012 gr

**Point of balance:** 120 mm

**Total length:** 910 mm

**Blade length:** 750 mm

**Handle length:** 115 mm

**Attachment:** peened

**Crossguard width:** 100 mm

**Pommel width:** 70 mm

**Blade width by the crossguard:** 50 mm

**Blade width at the tip:** 30 mm

## OPTIONS:

**Handle coverage:** leather, cord

FULL-CUSTOMIZATION AVAILABLE



# FFG Federschwert

## CHARACTERISTICS:

**Price:** 240€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1625 gr

**Blade weight:** 898 gr

**Point of balance:** 65 mm

**Total length:** 1340 mm

**Blade length:** 995 mm

**Handle length:** 275 mm

**Attachment:** peened

**Crossguard length:** 270 mm

**Crossguard width:** 12 mm

**Blade width:** 18 mm

**Blade width in ricasso:** 25 mm

**Blade width at the tip:** 12 mm

**Blade thickness in ricasso:** 5,2 mm

**Blade thickness at the tip:** 2,9 mm

## OPTIONS:

**Handle coverage:** leather, cord

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Federschwert «Lichtenauer»

## CHARACTERISTICS:

**Price:** 290€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1610 gr

**Point of balance:** 60 mm

**Total length:** 1350 mm

**Blade length:** 1030 mm

**Handle length:** 305 mm

**Attachment:** peened

**Crossguard length:** 270 mm

**Crossguard width:** 10 mm

**Blade width:** 18 mm

**Blade width in ricasso:** 68 mm

**Blade width at the tip:** 12 mm

**Blade thickness in ricasso:** 5,2 mm

**Blade thickness at the tip:** 2,9 mm

## OPTIONS:

**Handle coverage:** leather, cord

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Federschwert 1570

## CHARACTERISTICS:

**Price:** 350€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1643 gr

**Point of balance:** 30 mm

**Total length:** 1350 mm

**Blade length:** 1000 mm

**Handle length:** 340 mm

**Attachment:** peened

**Crossguard length:** 280 mm

**Crossguard width:** 12 mm

**Blade width:** 24 mm

**Blade width in ricasso:** 32 mm

**Blade width at the tip:** 11,5 mm

**Blade thickness in ricasso:** 5,2 mm

**Blade thickness at the tip:** 3 mm

## OPTIONS:

**Handle coverage:** leather, cord

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)



# Solothurn HEMA Fechtschwert



## CHARACTERISTICS:

**Price:** 350€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 1700 gr

**Flex (kg):** 12 kg

**Point of balance (CoG):** 100 mm

**Blade Node (CoP):** 715 mm

**Distal taper:** 55 mm - 15 mm

**Total length:** 1348 mm

**Blade length:** 1034 mm

**Attachment:** peened

**Crossguard length:** 258 mm

**Grip length:** 243 mm

**Schilt width:** 77 mm


**Blade width at CoP:** 25 mm

**Blade width at tip:** 28 mm

## OPTIONS:

**Handle coverage:** leather, cord

FULL-CUSTOMIZATION AVAILABLE





# Two-handed sword

## CHARACTERISTIC:

**Base price:** 440€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 2533 gr

**Balance:** 120 mm

**Total length:** 1580 mm

**Blade length:** 1150 mm

**Attachment:** peened

**Crossguard width:** 16 mm

**Crossguard length:** 390 mm

## OPTIONS:

**Attachment:** peened only

**Blade tip:** rounded only

FULL-CUSTOMIZATION AVAILABLE



# Partisan (spear blade)

## CHARACTERISTICS:

**Price:** 200€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight:** 607 gr

**Length total:** 855 mm

**Sleeve length:** 280 mm

**Inner diameter of the sleeve:** 28 mm

**Blade width:** 32 mm

**Blade width in ricasso:** 48 mm

**Blade width at the tip:** 13 mm

**Blade thickness on the tip:** 2 mm

## OPTIONS:

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Dagger

## CHARACTERISTICS:

**Price:** 180€

**Warranty:** 1 year

**Hardness:** 47-50 HRC

**Steel:** 60C2A

**Weight total:** 750 gr

**Point of balance:** 0 mm

**Total length:** 620 mm

**Blade length:** 450 mm

**Handle length:** 110 mm

**Attachment:** threaded

**Crossguard length:** 250 mm

**Crossguard width:** 7 mm

**Blade width:** 16 mm

**Blade width in ricasso:** 23 mm

**Blade width at the tip:** 9 mm

**Blade thickness in ricasso:** 5,8 mm

**Blade thickness at the tip:** 2 mm

## OPTIONS:

**Handle wrapping:** leather

**Hilt type:** 'sail', ring

**Blade tip:** rolled, spatulated (+20€),  
rounded (+20€)

FULL-CUSTOMIZATION AVAILABLE



# Buckler

## CHARACTERISTICS:

**Price:** 100€



**Warranty:** 1 year

**Weight:** 1170 gr

**Diameter:** 300 mm

**Inner diameter:** 150 mm

**Umbon depth:** 70 mm



## OPTIONS:

**Material:** steel, wood

\* Specs of bucklers remain the same with any material choice







# Blade tip

---

1



2



3



## **BLADE TIP:**

---

- 1. ROLLED
- 2. SPATULATED (+20€)
- 3. ROUNDED (+20€)